CONTENTS

Section	<u>1</u>	Page
1.0	INTRODUCTION	1
2.0	SITE DESCRIPTION	1
3.0	PRELIMINARY HRS SCORING	1
	3.1 WASTE CHARACTERISTICS	
4.0	SUMMARY	2
Appen	<u>dices</u>	
Α	SITE LOCATION MAP	
В	PA SCORE PACKAGE	
С	REFERENCES	

1.0 INTRODUCTION

Under Technical Enforcement Support contract no. 68-W9-0006 (TES 9), work assignment no. C06072, PRC Environmental Management, Inc. (PRC), has completed a Phase IA Site Inspection Prioritization (SIP) Report for Air Products & Chemicals, St. Gabriel, Louisiana (LAD085551877). This report summarizes the results of the file review and Preliminary Assessment (PA) Score package. The report is based on (1) information obtained from U.S. Environmental Protection Agency (EPA) files concerning the site, and (2) information that PRC was able to obtain from soil surveys and a population census of the region. EPA files included information only through July 16, 1984.

SIPs are a part of EPA's site assessment process. EPA is tasked with assessing the relative risk that each hazardous waste site poses to human health and the environment. The first step in this process is a PA of the site. Next, if needed, is a site inspection (SI). Through the SIP process, EPA generally reviews sites that have undergone an SI but have not received a decision regarding the need for further action. EPA uses the results of the SIP to assess whether information obtained during the SI meets the minimum standard of (1) the revised Hazard Ranking System (HRS) and (2) scoring strategies required by EPA. The SIP enables EPA to determine whether a site is likely to receive a score of 28.5 or above on the revised HRS, which is the minimum score required for a site to be eligible for placement on the National Priorities List (NPL). To be eligible for Superfund-financed remedial action, a site must be on the NPL. If the site is unlikely to become a candidate for the NPL, it receives a decision of no further remedial action planned, and the site's evaluation under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) is complete.

2.0 SITE DESCRIPTION

The Air Products & Chemicals site, which is about 112 acres in area, is located in St. Gabriel, Iberville Parish, Louisiana, and lies immediately east of the Mississippi River. Both hazardous and nonhazardous wastes were generated at the site. The wastes generated were either incinerated in the thermal oxidizer on site or sent off site for disposal. The site also had two surface impoundments (lagoons) and two open piles of chemically fixed biosludge (Refs. 1 and 2). The impoundments had a natural clay liner system and were surrounded by eight monitoring wells (Ref. 1). The only waste disposed of at this site was nonhazardous biosludge, which was pumped out of the west lagoon in August 1980 and stored immediately south of the lagoons in open piles (Ref. 1). The SI report of July 16, 1984, recommended that either (1) this area be covered and closed as a solid waste landfill, or (2) the wastes be removed and shipped off site to a commercial solid waste landfill. As of the writing of the SI report of July 16, 1984, all of the impoundments and open piles have been sampled and found to contain low levels of hazardous constituents. No additional information about the site was available after 1984.

3.0 PRELIMINARY HRS SCORING

Based on the information available to PRC, the site received a PA score of 20. Groundwater was the most significant migration pathway, because it is the source of drinking water in that area. The air, soil, and surface water pathway scores were low because of a lack of targets. The groundwater migration pathway score is 39, because drinking water is supplied from a 230-foot-deep well that is located within the property boundaries. No information was available on the volume of the waste piles, which may significantly affect the waste characteristic score and, therefore, the overall score.

3.1 WASTE CHARACTERISTICS

In 1984 the facility generated about (1) 240 tons of biosludge per year, (2) 1 ton of metals sludge per year, and (3) 150 to 200 tons of catalyst acids per year. About 1 ton of wastes was shipped off site for disposal each year (Ref. 1). The biosludge, containing hazardous constituents, was stored in two surface impoundments, each measuring 150,000 cubic feet. No information was available on the other types of wastes generated. According to the SI report (Ref. 1), wastes were also stored in drums, open piles, and aboveground tanks. However, no information was available concerning the number or size of these storage units. The waste quantities that were calculated resulted in a combined waste characteristic score of 32. The waste characteristics were based on the tier C (volume) for multiple sources at the site. The waste characteristic score was based only on the information available through 1984, because the present day operations of the facility were unknown.

3.2 MIGRATION AND EXPOSURE PATHWAYS

The groundwater migration pathway received a score of 39. This score resulted from a drinking water supply located on site. A conservative assumption of 1,000 workers and students in a 1/4-mile radius of the site was made, that consume water from the on-site well. There were no observed releases to the environment. Population census data of 1980 (Ref. 3) were used to calculate the secondary target population at the site. It was assumed that all of the population, reported in the population census report, was served by wells that were located within the 4-mile target distance limit.

The surface water migration pathway received a score of 5. No releases were observed. The nearest receiving water body is the Mississippi River (Ref. 4). Surface water is not the source of drinking water, and therefore, no secondary population was identified for the drinking water threat. PRC assumed that (1) the Mississippi River supports secondary fisheries, and (2) the area surrounding the site is a secondary sensitive environment for the state preservation of biotic communities. These assumptions were made as part of a conservative approach in the scoring process.

The soil exposure pathway received a PA score of 10. The absence of a resident population within 200 feet of the source of contamination resulted in a low score for this pathway.


The air migration pathway received a PA score of 3. There have been no observed releases and, therefore, no primary target population was identified. Population data from the 1980 census report (Ref. 3) were used to identify the secondary target population.


4.0 SUMMARY

The Air Products & Chemicals site is located in St. Gabriel, Iberville Parish, Louisiana. The site received a PA score of 20. This score indicates that the site is unlikely to score at or above 28.5 on the revised HRS with available information. Groundwater was the most significant migration pathway identified. The score was based solely on the information provided by EPA and information that PRC was able to obtain from soil surveys and a population census of the area. The ground water migration pathway received a score of 39, because of the presence of a drinking water well located on site. The site scored low, because (1) there have been no observed releases to the environment, (2) waste quantities were low and (3) target populations near the site were minimal.

APPENDIX A

L187700011





AIR PRODUCTS & CHEMICALS ST. GABRIEL, LOUISIANA LAD085551877

SITE LOCATION MAP



Environmental Management, Inc.

SOURCE: MODIFIED FROM EPA SITE INSPECTION REPORT, JULY 16, 1984

APPENDIX B

L187700012

OMB Approval Number: 2050-0095 Approved for Use Through: 4/95



Site Name: AIR PRODUCTS & CHEMICALS

CERCLIS ID No.: LAD085551877 Street Address: P.O. BOX 1

City/State/Zip: St. GABRIEL, LA 70776

Investigator: Rajesh Badireddi

Agency/Organization: PRC-EMI

Street Address: 350 N. St. Paul, Ste. 2600

City/State: Dallas, TX

Date: 09/26/94

Page: 1

OMB Approval Number: 2050-0095 Approved for Use Through: 4/95

			<u>1</u>				
POTENTIAL HAZARDOUS				IDENTIFICATION			
				State:	9	CLIS N	
WASTE SITE				LA	LA	D08555	1877
PRELIMINARY ASSESSMENT FORM				CERCLIS	Disc 11-20		Date:
1. General Site Information							
Name: AIR PRODUCTS & CHEMICALS		1	Addre BOX 1	ess:			
City: State: LA		Zip Co 70776				Co. Code:	Cong. Dist:
Latitude: Longitude: 30° 15' 5.0" 91° 5' 34.0"	Approx.	Area of Site: Status of Site: 112 acres Active					
2. Owner/Operator Information	n						
Owner:		Operator: M.C.LEE, PLANT MANAGER					
Street Address:		Street Address: P.O. BOX 1					
City:		City: St. GABRIEL					
State: Zip Code: Telephor	ne:	State: Zip Code: Telephone: LA 70776 (504)642-					3346
Type of Ownership: Private		How Initially Identified: Other BOB ECHKERDS REPORT					

DOMENIULAT ITAG	y DDOILG				ID	ENTIFICAT	ION
POTENTIAL HAZARDOUS WASTE SITE				State: CERCLIS Numble LA LAD0855518			
PRELIMINARY ASSESSMENT FORM					Discover 11-20-197	•	
3. Site Evaluator In:	formation						
Name of Evaluator: Agency/Organ Rajesh Badireddi PRC-EMI			anization:		Date Pro 09/30	epared:	
Street Address: 350 N. St. Paul, Ste. 2600			City: Dallas				State: TX
Name of EPA or State JOHN JONES-EPA REGIO		ontact:		lephone: 214) 665-6	669		
Street Address: Ross Ave.			Cit D2	y: ALLAS			State: TX
4. Site Disposition	(for EPA ι	use only)				
Emergency Response/Removal Assessment Recommendation: No	CERCLIS Recommer NFRAP	ndation:		Signatur Name:	e:		
Date:	Date:			Positior	1:		

				IDI	ENTIFICA	TION
POTENTIAL HAZARDOUS				State:	CERCLI	S Number:
WASTE SITE				LA		5551877
PRELIMINARY ASSESSMENT	FORM				Discove 11-20-19	ry Date: 79
5. General Site Characteristic	cs				· · · · · · · · · · · · · · · · · · ·	
Predominant Land Uses Within 1 Mile of Site: Commercial	Site Setti Rural	ng:	Вє	rs of Open	Year: 0	
Type of Site Operations: Manufacturing	<u></u>			Generate Onsite	ed:	
Other Manufacturing Other: Air Products & Chemicals				te Deposition Authorized Present Owner		
				te Accessible to the Public No		
				nce to Ne	rkplace:	
6. Waste Characteristics Info	rmation		••••••			
Source Type Quantity Surface impoundment 3.00e+05	Tier G	Acid Othe Bios	s/Bas r: ludge	es of Was es e / Metals udge		
	P	hysic Slud		ate of Wa	aste as	Deposited
Tier Legend C = Constituent W = Wastest V = Volume A = Area	ream		·			

DOMENIOTAT UAGADIO	POTENTIAL HAZARDOUS			ION
WASTE SITE	State: LA	CERCLIS LAD085	Number: 551877	
PRELIMINARY ASSE		Discover 11-20-197		
7. Ground Water Pathway				
Is Ground Water Used for Drinking Water Within 4 Miles: No	Is There a Suspected Release to Ground Water: No	Population	ondary Ta on Served ater With	by
Type of Ground Water Wells Within 4 Miles: Municipal	Have Primary Target Drinking Water Wells Been Identified: No	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1000 0 4550
Depth to Shallowest Aquifer: 100 Feet Karst Terrain/Aquifer Present: No	Nearest Designated Wellhead Protection Area: None within 4 Miles	>2 - 3	Miles Miles Miles	1037 493 2592 9672

Page: 5

IDENTIFICATION POTENTIAL HAZARDOUS State: CERCLIS Number: WASTE SITE LAD085551877 LACERCLIS Discovery Date: PRELIMINARY ASSESSMENT FORM 11-20-1979 8. Surface Water Pathway Part 1 of 4 Shortest Overland Distance From Any Type of Surface Water Draining Site and 15 Miles Downstream: Source to Surface Water: River 0 Feet 0.0 Miles Is there a Suspected Release to Site is Located in: Surface Water: Annual - 10 yr floodplain 8. Surface Water Pathway Part 2 of 4 Drinking Water Intakes Along the Surface Water Migration Path: Have Primary Target Drinking Water Intakes Been Identified: No Secondary Target Drinking Water Intakes: None

Page: 6

POTENTIAL HAZARDOUS

WASTE SITE

PRELIMINARY ASSESSMENT FORM

IDENTIFICATION

State: LA CERCLIS Number: LAD085551877

CERCLIS Discovery Date:

11-20-1979

8. Surface Water Pathway

Part 3 of 4

Fisheries Located Along the Surface Water Migration Path: Yes

Have Primary Target Fisheries Been Identified: No

Secondary Target Fisheries:

Fishery Name

Water Body Type/Flow(cfs)

Mississipi River

large river/ >10000

8. Surface Water Pathway

Part 4 of 4

Wetlands Located Along the Surface Water Migration Path? (y/n) No

Have Primary Target Wetlands Been Identified? (y/n) No

Secondary Target Wetlands:

None

Other Sensitive Environments Along the Surface Water Migration Path: Yes

Have Primary Target Sensitive Environments Been Identified: No

Secondary Target Sensitive Environments:

Water Body/Flow(cfs)

Sensitive Environment Type

large river/ >10000 Habitat for Federally designated endanger

Page: 7

POTENTIAL HAZARDOUS

WASTE SITE

PRELIMINARY ASSESSMENT FORM

CERCLIS Discovery Date:
11-20-1979

9. Soil Exposure Pathway

Are People Occupying Residences or Attending School or Daycare on or Within 200 Feet of Areas of Known or Suspected Contamination: No

Number of Workers Onsite: 101 - 1000

Have Terrestrial Sensitive Environments Been Identified on or Within 200 Feet of Areas of Known or Suspected Contamination: Yes

Terrestrial Sensitive Environments:

Small areas important for maintenance of biotic communities

10. Air Pathway

Total Population on Onsite	or Within:	Is There a Suspected Release to Air:	No
0 - 1/4 Mile >1/4 - 1/2 Mile >1/2 - 1 Mile	0 0 4550	Wetlands Located Within 4 Miles of the Site:	No
>1 - 2 Miles >2 - 3 Miles >3 - 4 Miles Total	1037 493 2592 8672	Other Sensitive Environments Located Within 4 Miles of the Site:	No

Sensitive Environments Within 1/2 Mile of the Site: None

WASTE CHARACTERISTICS

Waste Characteristics (WC) Calculations: 1 Surface Impoundments Surface impoundment Ref: 1 WQ value maximum Volume 3.00E+05 cu ft 4.44E+03 4.44E+03 Lagoon dimensions = 100'x150'x10' = 150,000 cu. ft. For two lagoons = $150,000 \times 2 = 300,000 \text{ cu. ft.}$ Waste Quantity = 300,000/67.5 = 4,444.44Ref:

Ground Water Pathway Criteria List Suspected Release	
Are sources poorly contained? (y/n/u)	N
Is the source a type likely to contribute to ground water contamination (e.g., wet lagoon)? (y/n/u)	N
Is waste quantity particularly large? (y/n/u)	U
Is precipitation heavy? (y/n/u)	U
Is the infiltration rate high? (y/n/u)	U
Is the site located in an area of karst terrain? (y/n)	N
Is the subsurface highly permeable or conductive? (y/n/u)	N
Is drinking water drawn from a shallow aquifer? (y/n/u)	N
Are suspected contaminants highly mobile in ground water? (y/n/u)	U
Does analytical or circumstantial evidence suggest ground water contamination? (y/n/u)	N
Other criteria? (y/n) N	
SUSPECTED RELEASE? (y/n)	N
Summarize the rationale for Suspected Release:	

Surface Water Pathway Criteria List Primary Targets	
Is any target nearby? (y/n/u) If yes: N Drinking water intake Y Fishery U Sensitive environment	Y
Has any intake, fishery, or recreational area been closed? (y/n/u)	N
Does analytical or circumstantial evidence suggest surface water contamination at or downstream of a target? (y/n/u)	N
Does any target warrant sampling? (y/n/u) If yes: N Drinking water intake N Fishery N Sensitive environment	N
Other criteria? (y/n) N	
PRIMARY INTAKE(S) IDENTIFIED? (y/n) Summarize the rationale for Primary Intakes:	N

Page: 9

PA-Score 2.0 Scoresheets AIR PRODUCTS & CHEMICALS - 09/22/94

continued		
Other criteria? (y/n)	И	
	PRIMARY FISHERY(IES) IDENTIFIED? (y/n)	N
Summarize the rationale for	Primary Fisheries:	
Other criteria? (y/n)	N	
	, , , , , , , , , , , , , , , , , , ,	И
Summarize the rationale for	Primary Sensitive Environments:	

Page: 10

SURFACE WATER PATHWAY SCORESHEETS

Pathway Characteristics				Ref.
Do you suspect a release? (y/n)	2			
Distance to surface water (feet	t):	0		
Flood frequency (years):		1-	-10	
What is the downstream distance (miles) to: a. the nearest drinking water intake? b. the nearest fishery? c. the nearest sensitive environment? 0.0				
Suspected No Suspected LIKELIHOOD OF RELEASE Release Release Refer				
1. SUSPECTED RELEASE				
2. NO SUSPECTED RELEASE	7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
LR =	O	500		

Page: 11

0

Drinking Water Threat Targets

TARGETS	Suspected Release	No Suspected Release	References
3. Determine the water body type, flow (if applicable), and number of people served by each drinking water intake.			
4. PRIMARY TARGET POPULATION 0 person(s)	О		
5. SECONDARY TARGET POPULATION Are any intakes part of a blended system? (y/n): N	0	0	
6. NEAREST INTAKE	0	0	
7. RESOURCES	0	5	
T =	0	5	

Drinking Water Threat Target Populations

Primary (y/n)	Water Body Type/Flo	Population W Served	Ref.	Value
				·····
		Primary (y/n) Water Body Type/Flo		Primary (y/n) Water Body Type/Flow Population Served Ref.

Total Primary Target Population Value
Total Secondary Target Population Value
*** Note: Maximum of 6 Intakes Are Printed ***

Apportionment Documentation for a Blended System

Page: 13

Human Food Chain Threat Targets

TARGETS	Suspected Release	No Suspected Release	References
8. Determine the water body type and flow for each fishery within the target limit.			
9. PRIMARY FISHERIES	0		
10. SECONDARY FISHERIES	0	12	
Т =	0	12	

Human Food Chain Threat Targets

Fishery Name	Primary (y/n)	Water Body Type/Flow	Ref.	Value
1 Mississipi River	N	>10000 cfs	1	12
	Total	Primary Fisheries Value	ue	0
*** Note : Maximum o	Total f 6 Fisheries	L Secondary Fisheries Va Are Printed ***	arue	0

Page: 14

Environmental Threat Targets

TARGETS	Suspected Release	No Suspected Release	References
11. Determine the water body type and flow (if applicable) for each sensitive environment.			
12. PRIMARY SENSITIVE ENVIRONMENTS	0		
13. SECONDARY SENSITIVE ENVIRONS.	0	10	
T =	0	10	

Environmental Threat Targets

Sensitive Environment Name	Primary (y/n)	Water Body Type/Flow	Ref.	Value
1 Mississipi River	N	>10000 cfs		0
Total Primary Sensitive Environments Value Total Secondary Sensitive Environments Value *** Note: Maximum of 6 Sensitive Environments Are Printed ***				0 0

Page: 15

Surface Water Pathway Threat Scores

Threat	Likelihood of Release(LR) Score	Targets(T) Score	Pathway Waste Characteristics (WC) Score	Threat Score LR x T x WC / 82,500
Drinking Water	500	5	32	1
Human Food Chain	500	12	32	2
Environmental	500	10	32	2

SURFACE WATER PATHWAY SCORE:

5

AIR PRODUCTS & CHEMICALS - 09/22/94	
Soil Exposure Pathway Criteria List Resident Population	
Is any residence, school, or daycare facility on or within 200 feet of an area of suspected contamination? (y/n/u)	υ
Is any residence, school, or daycare facility located on adjacent land previously owned or leased by the site owner/operator? (y/n/u)	Y
Is there a migration route that might spread hazardous substances near residences, schools, or daycare facilities? (y/n/u)	U
Have onsite or adjacent residents or students reported adverse health effects, exclusive of apparent drinking water or air contamination problems? $(y/n/u)$	N
Does any neighboring property warrant sampling? (y/n/u)	N
Other criteria? (y/n) N	
RESIDENT POPULATION IDENTIFIED? (y/n)	N
Summarize the rationale for Resident Population:	

	THE COMMAND
	www.www.

Page: 17

hway Characteristics			[
Liway Characteristics			
Do any people live on or within of areas of suspected contamin			No
Do any people attend school or o of areas of suspected contamin		ithin 200 ft	No
Is the facility active? (y/n):			Yes
LIKELIHOOD OF EXPOSURE	Suspected Contamination	References	
	550		
1. SUSPECTED CONTAMINATION LE =			
rgets 2. RESIDENT POPULATION 0 resident(s)	0		
rgets 2. RESIDENT POPULATION			
rgets 2. RESIDENT POPULATION 0 resident(s) 0 school/daycare student(s)	0		
rgets 2. RESIDENT POPULATION	0		
rgets 2. RESIDENT POPULATION	0 0 10		

10

WASTE CHARACTERISTICS	WC =	32
RESIDENT POPULATION THREAT SCO	RE:	9
NEARBY POPULATION THREAT SCORE Population Within 1 Mile: 1		1 000

SOIL EXPOSURE PATHWAY SCORE:

Page: 18

Soil Exposure Pathway Terrestrial Sensitive Environments

Terrestrial Sensitive Environment Name	Reference	Value
1 Assumed-maintenance of biotic		25
Total Terrestrial Sensitive Environm *** Note: Maximum of 7 Sensitive Environments Are Pri		25

AIR PRODUCTS & CHEMICALS - 09/22/94	
Air Pathway Criteria List Suspected Release	
Are odors currently reported? (y/n/u)	N
Has release of a hazardous substance to the air been directly observed? (y/n/u)	N
Are there reports of adverse health effects (e.g., headaches, nausea, dizziness) potentially resulting from migration of hazardous substances through the air? (y/n/u)	N
Does analytical/circumstantial evidence suggest release to air? (y/n/u)	N
Other criteria? (y/n) N	
SUSPECTED RELEASE? (y/n)	N
Summarize the rationale for Suspected Release:	;

Page: 20

AIR PATHWAY SCORESHEETS

Pathway Characteristics				Ref.
Do you suspect a release? (y/n)	No)	
Distanceto the nearest individ	ual (feet):	0		
				j
LIKELIOOD OF RELEASE	Suspected Release	No Suspected Release	Refe	rences
. SUSPECTED RELEASE	0			
2. NO SUSPECTED RELEASE		500		
LR =	0	500	***************************************	
l'argets	•			
TARGETS	Suspected Release	No Suspected Release	Refe	rences
3. PRIMARY TARGET POPULATION 0 person(s)	О			
4. SECONDARY TARGET POPULATION	O	11	**************************************	
5. NEAREST INDIVIDUAL	0	1		
6. PRIMARY SENSITIVE ENVIRONS.	0			**************************************
7. SECONDARY SENSITIVE ENVIRONS.	0	0		
8. RESOURCES	0	5	1014010110110110110110110110110110110110	
T ==	0	17	1701001001001001001001001001001001001001	
JA CONT. CUANA CONTENT CONT. CO				
WASTE CHARACTERISTICS WC =	0	32		
	1.		I	
AIR PATHWAY SCORE:		3		

Page: 21

Air Pathway Secondary Target Populations

Distance Categories	Population	References	Value
Onsite	0	3	0
Greater than 0 to 1/4 mile	0	3	0
Greater than 1/4 to 1/2 mile	0	3	0
Greater than 1/2 to 1 mile	4550	1	8
Greater than 1 to 2 miles	1037	3	1
Greater than 2 to 3 miles	493	3	1
Greater than 3 to 4 miles	2592	3	1
Total Secondary Population Value			11

Page: 22

Air Pathway Primary Sensitive Environments

s	ensitive Environment Name	Reference	Value
N	one		
Total Primary Sensitive Environments Value *** Note : Maximum of 7 Sensitive Environments Are Printed***			
	thway Secondary Sensitive Environments		

Sensitive Environment Name	Distance	Reference	Valu
None			

Total Secondary Sensitive Environments Value

SITE SCORE CALCULATION	SCORE
GROUND WATER PATHWAY SCORE:	39
SURFACE WATER PATHWAY SCORE:	5
SOIL EXPOSURE PATHWAY SCORE:	10
AIR PATHWAY SCORE:	3
SITE SCORE:	20

SUMMARY

If yes, explain:

1. Is there a high possibility of a threat to any nearby drinking water well(s) by migration of a hazardous substance in ground water? Yes If yes, identify the well(s). Drinking water well located on site (SI report dated 07/16/84 If yes, how many people are served by the threatened well(s)? 1000 2. Is there a high possibility of a threat to any of the following by hazardous substance migration in surface water? A. Drinking water intake Yes B. Fishery No C. Sensitive environment (wetland, critical habitat, others) No If yes, identity the target(s). Well located on site. 3. Is there a high possibility of an area of surficial contamination within 200 feet of any residence, school, or daycare facility? No If yes, identify the properties and estimate the associated population(s) 4. Are there public health concerns at this site that are not addressed by PA scoring considerations? No

APPENDIX C

L187700013

REFERENCES

- 1. The Earth Technology Corporation. 1984. Site Inspection Report for Air Products & Chemicals, Inc. July 16.
- 2. U.S. EPA. 1980. Site Inspection Report for Air Products & Chemicals, Inc. February 25.
- 3. U. S. EPA. 1994. Graphical Exposure Modeling System Database, compiled from 1980 U.S. Census Bureau data. Accessed August 1.
- 4. United States Department of Agriculture, Soil Conservation Service in cooperation with Louisiana Agricultural Experiment Station. 1977. "Soil Survey of Iberville Parish, Louisiana". General Soil Map. June.

REFERENCE 1

Ground Water Pathway Criteria List Primary Targets

Is any drinking water well nearby? (y/n/u)

Has any nearby drinking water well been closed? (y/n/u)

Has any nearby drinking water well user reported foul-testing or foul-smelling water? (y/n/u)

Does any nearby well have a large drawdown/high production rate? (y/n/u)

Is any drinking water well located between the site and other wells that are suspected to be exposed to a hazardous substance? (y/n/u)

Does analytical or circumstantial evidence suggest contamination at a drinking water well? (y/n/u)

Does any drinking water well warrant sampling? (y/n/u)

Other criteria? (y/n)

PRIMARY TARGET(S) IDENTIFIED? (y/n)

Summarize the rationale for Primary Targets:

Page: 4

GROUND WATER PATHWAY SCORESHEETS

Pathway Characteristics						
Do you suspect a release? (y/n))	No	0			
Is the site located in karst to	errain? (y/n)	No	5	1		
Depth to aquifer (feet):		1(00	1		
Distance to the nearest drinking		1				
Suspected No Suspected Referenc						
1. SUSPECTED RELEASE						
2. NO SUSPECTED RELEASE	**************************************	**************************************				
LR = 0 340						

Targets

TARGETS	Suspected Release	No Suspected Release	References
3. PRIMARY TARGET POPULATION 0 person(s)	O		
4. SECONDARY TARGET POPULATION Are any wells part of a blended system? (y/n) N	0	268	
5. NEAREST WELL	0	20	
6. WELLHEAD PROTECTION AREA None within 4 Miles	0	0	
7. RESOURCES	0	5	
Tr =	0	293	

WASTE CHARACTERISTICS

i		
i]	
WC = 1	1 0	3.2
WC		J &

GROUND WATER PATHWAY SCORE:

39	

Page: 5

Ground Water Target Populations

Primary Target Population Drinking Water Well ID	Dist. (miles)	Population Served	Reference	Value
None				

*** Note: Maximum of 5 Wel	ls Are Pi	cinted ***	Total	

Secondary Target Population Distance Categories	Population Served	Reference	Value
0 to 1/4 mile	1000	1	52
Greater than 1/4 to 1/2 mile	0	3	0
Greater than 1/2 to 1 mile	4550	1	167
Greater than 1 to 2 miles	1037	3	29
Greater than 2 to 3 miles	493	3	7
Greater than 3 to 4 miles	2592	3	13
		Total	268

Page: 6

Apportionment	Documentation	for a	Blended	System
	······			

Surface Water Pathway Criteria List Suspected Release	
Is surface water nearby? (y/n/u)	Y
Is waste quantity particularly large? (y/n/u)	U
Is the drainage area large? (y/n/u)	U
Is rainfall heavy? (y/n/u)	U
Is the infiltration rate low? (y/n/u)	U
Are sources poorly contained or prone to runoff or flooding? (y/n/u)	N
Is a runoff route well defined(e.g.ditch/channel to surf.water)? (y/n/u)	Y
Is vegetation stressed along the probable runoff path? (y/n/u)	U
Are sediments or water unnaturally discolored? (y/n/u)	U
Is wildlife unnaturally absent? (y/n/u)	U
Has deposition of waste into surface water been observed? (y/n/u)	U
Is ground water discharge to surface water likely? (y/n/u)	U
Does analytical/circumstantial evidence suggest S.W. contam? (y/n/u)	N
Other criteria? (y/n) N	
SUSPECTED RELEASE? (y/n)	N
Summarize the rationale for Suspected Release:	

SEPA

TENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

REGION V I SITE NUMBER (to be assigned by He)
LAO1015

GENERAL INSTRUCTIONS: Complete Sections I and III through XV of this form as completely as possible. Then use the information on this form to develop a Tentative Disposition (Section II). File this form in its entirety in the regional Hazardous Waste Log File. Be sure to include all appropriate Supplemental Reports in the file. Submit a copy of the forms to: U.S. Environmental Protection Agency; Site Tracking System; Hazardous Waste Enforcement Tack Force (EN-335); 401 M St., SW; Washington, DC 20460.

	I.	SITE IDENTIFICATI				
A. SITE NAME	don's Inc		T (or other identifier)			
Air Products & Chem	Tears, Inc.	LA HWY	·	F. COUNTY N	rive -	
St. Gabriel		LA	70776	Iberville		
G. SITE OPERATOR INFORMAT	ION			1 200		
M. C. Lee				2. TELEPHOI	NE NUMBER	
Plant Mana	ger			(504)642-		
3. STREET		CITY		S. STATE	6. ZIP CODE	
P.O. Box 1		St. Gabriel		LA	70776	
H. REALTY OWNER INFORMATI		or of eite)	_	2. TELEPHO	NE NUMBER	
June as as	Ove			• • • • • • •	The Home L.	
S. CITY				4. STATE	8. ZIP CODE	
			· · · · · · · · · · · · · · · · · · ·			
I. SITE DESCRIPTION	Attachment A					
	Accounting ,				·	
J. TYPE OF OWNERSHIP			PAL XX 5. PRIV			
1. FEDERAL 2.	STATE 3. COUNT	TY 4 MUNICIE	PAL [AA DI PRIV	ATE		
	II TENTATIVE D	ISPOSITION (complete	to this section last)			
A. ESTIMATE DATE OF TENTA	TIVE B. APPARENT SE	ERIOUSNESS OF PROB		######################################		
DISPOSITION (mos, day, & yrs)	1. нісн	[]', & MEDIUM	4 🔲 3. LOW	XX 4. NON	IE	
		-				
C. PREPARER INFORMATION		3		1 TE (MO.	* * \	
I NAME Thomas Myers	· ^		PHONE NUMBER	3. DATE (mo.		
tarth recomo	logy Corporation	(201)	<u></u>	7/16/8	4	
A. PRINCIPAL INSPECTOR INF		SPECTION INFORM	ATION		·····	
1. NAME		2. TITLE				
Bharat Patel			Hydrogeolog			
3. ORGANIZATION				ì	NETO. (area code &	
The Earth Technology				(201) 5	60-1650	
B. INSPECTION PARTICIPANTS	<u>;</u>			T		
1. NAME		2. ORGANIZATION		3, i E i	LEPHONE NO.	
Thomas Myers	The Farth Tec	chnology Corpor	vation	(201) 56	n_1650	
110hta 1.y = 1.	1110	mio 10 93 - 50 - F - 1	1 40101.	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	0-1000	
Albert Hebert	LADEQ Hazardo	ous Waste Divis	sion	(504) 34	2-9073	
C. SITE REPRESENTATIVES IN			nt•)			
1. NAME	2. TITLE & TELE		0. Box 1	a. ADDRESS		
Bob Martien	Safety, Healt (504) 642-334		J. BOX I . <u>Gabriel, LA</u>	70776		
	(007) 012 00.	· · · · · · · · · · · · · · · · · · ·			"1 1) HT	
			Xanto	15 00	1 877_	
			<u></u>			
	l l		0	SUPERFUNT:		
				FILE		
				FILE		
				EP 1 8 1992		
			SI			

	Continued From Page 2							
C			IV. SAMPLING	INFORM	AA	TION (continued)		
ł	, PHOTOS		,					/To be submitted
1	1. TYPE OF PHOTOS 2. PHOTOS IN CUSTODY OF: (10 DE SUDMITTED The Earth Technology Corporation as an addendum)							(To be submitted
L	XX a. GROUND b. AEF	HAL	. Ine	Eartr	1	Technology Corporation) []	as an addendum)
P	SITE MAPPED?		61	1				
	XX YES. SPECIFY LOCATION	OF	MAPS: see Figure	1				
E	. COORDINATES				-			
	t. LATITUDE (degmin-sec.)			1	2	LONGITUDE (deg-min-eec.)		
	30°15'05" N			1		91°05′34″W		
			V. SITI	EINFO	R٨	ATION		
٨	. SITE STATUS						_	
	XX 1. ACTIVE (Those inductrial o		2. INACTIVE (Thos		Ę	3. OTHER(*pecily):		
	municipal eltes which are being us for waste treatment, storage, or dis		aites which no longer re	•ceive		Those sites that include such inc. where no regular or continuing use		
•	on a continuing basis, even if infre quently.)	-			1	nas occurred.)		
L		., <u>,</u> .						
⁸	IS GENERATOR ON SITE?		b. 4			2869		
	1. NO XX 2. YES(ap	eçil	y generator's tour-digit SIC	Code):_		<u> </u>		
ہ	AREA OF SITE (in acres)		D. ARE THERE BUILD	DINGS OF	٧ ،	THE SITE?		
Ī	112; 20 acres are					administration an	nd	process related
	developed				,	building		p. 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
┢		·····	VI CHAPACTERI	ZATIO	<u> </u>	OF SITE ACTIVITY		
In	dicate the major site activity(i	es)					pri	ate boxes.
·×	• • • • • • • • • • • • • • • • • • •	χí		7	×٦		X.	
	A. TRANSPORTER	X	B. STORER		×	C. TREATER	X	D. DISPOSER
	1. RAIL	XΧ	1. PILE			1. FIL TRATION		1. LANDFILL
L	2.\$HIP	XX	2. SURFACE IMPOUNDME	NT		2. INCINERATION	_	2. LANDFARM
L	3. BARGE	ХX	3. DRUMS	į		3. VOLUME REDUCTION		3. OPEN DUMP
L	4. TRUCK	XΧ	4. TANK, ABOVE GROUN	(0.0	XΧ	4. RECYCLING/RECOVERY		4. SURFACE IMPOUNDMENT
L	8. P(PELINE	<u> </u>	S. TANK, BELOW GROUN	٥١		B. CHEM./PHYS./TREATMENT	<u> </u>	S. MIDNIGHT DUMPING
<u> </u>	S.OTHER(*p*clfy):	<u> </u>	6. OTHER(apacify):	į.	XX	6. BIOLOGICAL TREATMENT	X.	M. INCINERATION
l		N	OTE: 1 and 2 do	not		7. WASTE OIL REPROCESSING		7. UNDERGROUND INJECTION
						6. SOLVENT RECOVERY	_	8. O THER (specify):
ı			contain hazardous	S]		9.OTHER(specify):	$ _{M}$	OTE: Incinerate
1		1	waste; 3 and 4 and	re			''	corrosive and
		l						ignitable waste
			used to store ha	zar-				ight dable was de
Ļ	.SUPPLEMENTAL REPORTS: 1	14	dous waste.			- Used balow Samplemental Base	<u> </u>	must be completed Indicate
٦	which Supplemental Reports you					s itsted below, Supplemental Kepo		must be completed, Indicate
ľ	1. STORAGE	2. 1	NCINERATION 3. L	ANDFIL	L	A. SURFACE] 5	. DEEP WELL
Ī						(MPOONDMEN)	-	
	6. PHYS TREATMENT	7. L	ANDFARM 8.0	PEN DU	M	9. TRANSPORTER] 1	0. RECYCLOR/RECLAIMER
Ļ			VII. WASTE F	RELATI	EC	INFORMATION		
I	WASTE TYPE		* VV 1		**	**		PI separator sludge
Į X			soulo* XX 3. s					hazardous) and bio-
Ļ	"Non-nazar Waste Characteristics	uC	us solids and ha	<u> </u>	us	vaporizer car	_S	ludge (non-hazardous)
Ι.	_	٠.						
•					. T	VE 4. HIGHLY VOLATILE		
l				NERT diana	٠.	X 8. FLAMMABLE		
. ا	NOTE: 1,2 disposed	٦r	incinerator; 5	arspo	Sŧ	eu off-Site.		
Η̈́	9, OTHER(epecify): . WASTE CATEGORIES							**************************************
	 Are records of wester available 	? S	pecify items such as manife	ests, inv	*##	todes, etc. below.	یہ .	disposal.
•	Yes, manifest of amo	our	its incinerated a	na tr	a١	nsported off-site for	O	usposat.

	VIII. HAZARD DESCRIPTION (continues		
NON-WORKER INJURY/EXPOSURE			
1		•	
1			
C. WORKER INJURY/EXPOSURE	,		
[
l			
ĺ			

D. CONTAMINATION OF WATER SUPPLY	Y		
İ			
E. CONTAMINATION OF FOOD CHAIN			
F. CONTAMINATION OF GROUND WATER	R		
		,	
G. CONTAMINATION OF SURFACE WATE	ER		
		•	

Continued From Page 4

Continued From Page 6		
N, FIRE OR EXPLOSION	VIII. HAZARD DESCRIPTION (continue	
M, FIRE OR EXPLOSION		
O. SPILLS/LEAKING CONTAINERS/R	RUNOFF/STANDING LIQUID	
P. SEWER, STORM DRAIN PROBLEMS	3	
Q. EROSION PROBLEMS		
	•	
R. INADEQUATE SECURITY		
S. INCOMPATIBLE WASTES		

Continued From	n Page 8	X. WATER AND HYDROLOG	GICAL DATA	continued)		
H, LIST ALL DF	RINKING WATER WEL	LS WITHIN A 1/4 MILE RADIUS OF	······	continuos)		
1. WELL	2. DEPTH (apecify unit)	3.	LOCATION population/build	lin go)	4. NON-COM- MUNITY (mark 'X')	COMMUN- ITY (mark 'X')
Drinking/ Supply	230' (screen at 145 to 20		boundarie	S	X	
				T.,		
MARKET TO THE PARTY OF THE PART						
I. RECEIVING W	U A T I T T					
I. RECEIVING W	AIER	2. SEWERS	XX 3. STREAM	S/RIVERS		
Mississi	ppi River	4. LAKES/RESERVOIRS	5. OTHER((epecify):		
		TION OF RECEIVING WATERS			**** ******	
Secondar	ry contact re	creation and propagation	on of fish	and wild life.		
						 ,
LOCATION OF	CITE IS IN	XI. SOIL AND VEG	SITATION DAT	<u>'A</u>		
A. KNOWN	N FAULT ZONE	B. KARST ZONE	C. 100 Y	YEAR FLOOD PLAIN	D. WETLAN	D .
E. A REGI	ULATED FLOODWAY			HARGE ZONE OR SOLE SOU	RCE AQUIFER	ŧ
Mark (X) to inc	dicate the type(s) o	XII. TYPE OF GEOLOGICAL f geological material observed an			it perts.	
'X A. CVERBI	×	B. BEDROCK (epecify below)	×			
1. SAND		**************************************				
X 2. CLAY						
3. GRAVEL						
L		XIII. SOIL PEI	RMEABILITY			
				r—		
D. MODERA	WN ATE (10 to .1 cm/sec	B. VERY HIGH (100,000 to		C. HIGH (1000 to 10		##C+}
G. RECHARGE		·/ w /	·*/	(A)		
1, YES	<u> </u>	COMMENTS:				
H. DISCHARGE		COMMENTS.				
I. SLOPE	OF SLOPE 2.1	SPECIFY DIRECTION OF SLOPE, C	ONDITION OF S	SLOPE, ETC.		
0-1		East (away from river)				
J. OTHER GEOL	LOGICAL DATA	um consists of an appro	ovimately	100-foot thick cla	y format:	ion with
X 10 -6 to	o 6.4 X 10 -8	age vertical permeabi	t aquifer	"Plagemine-" or "(Nonzales-	Aquife
		of about 100 feet and e er is saltwater-bearing				

INSTRUCTION

SURFACE IMP	(Supplemental Report)	ITION REPORT	Answer and Explain as Necessary.
Earthen impoundment con east lagoon and a west		us bio-sludge; impoundme	nt consists of an
2. STABILITY/CONDITION OF EMBANK			
Good.			
3. EVIDENCE OF SITE INSTABILITY (E	rosion, Sectling, Sink Holes, esc.	,	
☐ YE3 Ø HO			
4. EVIDENCE OF DISPOSAL OF IGNITA	BLE OR REACTIVE WASTE		
LL AER MAN			
S. ONLY COMPATIBLE WASTES ARE ST	FORED OR DISPOSED OF IN TH	IE IMPOUNDMENT	
(X) τεз □ нο			
S. RECORDS CHECKED FOR CONTENT	S AND LOCATION OF EACH SU	RFACE IMPOUNDMENT	···
7. IMPOUNDMENT HAS LINER SYSTEM		74 INTEGRITY OF LINER SYSTEM	CHECKED
【♥】▼♥■ Natural	clay.	TYEN THE N/A	
7b. FINDINGS			
N/A			
8. SOIL STRUCTURE AND SUBSTRUCTS	JRE	-6	-8
Clay soil with a permeat	oility ranging from	1.4 X 10 to 6.4 X 10	~cm/sec.
See atta	achment)		
MAER DWO			
10. LENGTH, WIDTH, AND DEPTH	1 = 0.1	101	
LENGTH 100' WIDTH		10 '	
11. CALCULATED VOLUMETRIC CAPAC			
150,000 cubic feet (tota			
East lagoon - <10%; Wes	5C 1490011 - 50%		
East lagoon - 41%; West	t Tagoon - 3 feet.		
Approxima Approxima	ately 10% solid cont	ent in East lagoon (which	ch is at its capacity;
XXI YES HO Approxima	atelý 1-2% solids in	West lagoon.	
The sludge from the West	t lagoon was pumped	in August 1980 and was s	stored as a (See Attach.
16. OTHER EQUIPMENT			

ATTACHMENT A

POTENTIAL HAZARDOUS WASTE SITE IDENTIFICATION AND PRELIMINARY ASSESSMENT SUPPLEMENT SHEET

INSTRUCTION - This sheet is provided to give additional information in explanation of a question on the Form T2070-2.

Corresponding Number on Form

Additional Remark and/or Explanation

XIII, J.

contact is located at a depth of approximately 200 feet. The yield of the drinking/supply water well (screened between 145 to 205 feet) on site is 700 GPM.


Surface Impoundments Site Inspection Report


9.

Eight ground-water monitoring wells are located surrounding the impoundments. The wells are shallow in depth (12 to 18 feet deep), with the exception of wells MW-7 and MW-8, which are 70 feet deep (see map for locations). Water samples are collected semi-annually, and are analyzed for the parameters specified by DEQ. The first set of samples were collected in April 1984. The analytical results do not indicate significant levels of indicator parameters with the exception of high specific conductance (1200 to 4500 micro-mhos/sec) and TDS (740 to 5200 mg/l.

15.

chemically fixed "open pile" just south of the impoundment. According to the site representative, each lagoon requires dredging after 8 years of operation.





sample Source	e <u>West Sluage Lagoon (total)</u>	Report Date	07/23/80
Collected by	Air Products	Date Collected	06/05/80
For	Air Products	Date Received	07/09/80
	Post Office Box 1	Date(s) Analyzed	See Below
	St. Gabriel, Louisiana 70776	Data Number	070980-15
	Mr. Bob Martien	Purchase Order Number _	

Results of Analysis

Parameter	Results	Date Analyzed <u>Analyst</u>		
Arsenic (mg/kg As)	4.6	07/16/JL	1400hrs.	
Barium (mg/kg Ba)	317	07/18/JL	1050hrs.	
Cadmium (mg/kg Ca)	4.7	07/17/JL	0830hrs.	
Chromium (mg/kg Cr)	518	07/14/JL	0900hrs.	
Lead (mg/kg Pb)	50	07/18/JL	0830hrs.	
Mercury (mg/kg Hg)	<0.003	07/15/JL	0830hrs.	
Selenium (mg/kg Se)	<0.2	07/16/JL	1030hrs.	
Silver (mg/kg Ay)	0.64	07/16/JL	1600hrs.	
Zinc (mg/kg Zn)	1 , 360	07/18/JL	1000hrs.	
Nickel (mg/kg Ni)	1,640	07/18/JL	1100hrs.	
Cobalt (mg/kg Co)	18	07/18/JL	1030hrs.	

dr

Analysis Number ...

Official Methods Used In This Analysis

80-149-01

M. Rao Arimilli Laboratory Supervisor

M. Kan Asimile.

Borg Warner Corporation

Administrative Office: Mariella Ohio 235 Second Street (614: 374-2222 - Zip 45750

Laboratory Locations:

BATON ROUGE LOUISIANA 16550 Highrand Road 1504) 293 8650 Zip 70808

CHICAGO "LUNOS 3570 North A vondole Avenue (312) 588 8500 - Ep 60618

- ARMINGTON HIELS MICHIGAN 12740 Normwestern Highway 1313 020-2420 Z p 48018

MARIETTA OHO

235 second Street 514 374 2222 25 45750

PORT NECHES TEXAS
1216 Port Neches Avenue
(7131 727 1561 Zp 77651



Kemron Environmental Services

Results of Analysis

Danamakaa		Date Analyzed		
Parameter	Results	Ana	llyst	
Arsenic (mg/L As)	0.016	07/16/JL	1400hrs.	
Barium (mg/L Ba)	<0.10	07/18/JL	1050hrs.	
Cadmium (mg/L Cd)	<0.001	07/17/JL	0830hrs.	
Chromium (mg/L Cr)	<0.02	07/14/JL	1500hrs.	
Lead (mg/L Pb)	<0.1	07/15/JL	1500hrs.	
Mercury (mg/L Hy)	0.0004	07/15/JL	0830hrs.	
Selenium (mg/L Se)	<0.003	07/16/JL	1030nrs.	
Silver (mg/L Ag)	<0.003	07/16/JL	1500hrs.	
Zinc (mg/L Zn)	0.31	07/14/JL	1400hrs.	
Nickel (mg/L Ni)	0.73	07/18/JL	1100hrs.	
Cobalt (mg/L Co)	<0.05	0 7/ 15/JL	1500hrs.	

100.15 grams taken for Leachate test.

 α r

Analysis Number <u>80-149-01</u>

Official Methods Used In This Analysis

M. Res Armile.

M. Rao Arimilli Laboratory Supervisor

Borg Warner Carporation

Administrative Office: Mariella Ohio 235 Second Street - 614: 374-2222 - 2.6-45750

Laboratory Locations:

BATON ROUGE LOUISIANA 16550 Highland Road 504) 293-8650 Zip 70808

CHICAGO FEUNOIS 3570 Norin Avondale Avenue .312) 588 8500 — Esp 60618 FARMINGTON BIRLS MICHIGAN 32740 Northwestern Highway 313 626 2426 - Cp 48018

MARIETTA OHIO 215 Second Street 514 374 2222 TABLE 6
MONITOR WELL ANALYTICAL DATA (GROUND WATER QUALITY)

WELL #	<u>Н q</u>	SPEC. COND.	TDS	<u>TOC</u>	CHROMIUM	NICKEL	ZINC	TKN
1	6.8	1800	1000	50	0.01	0.04	0.031	< 1.0
2	6.9	1300	740	30	< 0.01	< 0.03	0.028	< 1.0
3	6.9	1700	1100	50	0.01	0.04	0.019	< 1.0
4	6.9	1850	1200	30	< 0.01	< 0.03	0.022	< 1.0
5	6.5	1200	810	5	< 0.01	0.04	0.018	< 1.0
6	7.0	1200	5200	100	0.01	< 0.03	0.037	< 1.0
7	6.7	4400	2400	< 1	< 0.01	0.05	0.015	10.4
8	6.7	4500	2400	20	< 0.01	0.04	0.015	9.8

NOTES:

- 1. All samples collected by Woodward Clyde Consultants and analyzed by West Paine Laboratories, Inc. Wells were sampled in period April 2 9, 1984.
- 2. pH in standard units, specific conductance in micromhoes/ cm. Total dissolved solids (TDS), total organic carbon (TOC) total Kjeldahl nitrogen (TKN) and metals are in mg/l.



Sample Source	See Below	Report Date	03/02/84
Collected by	Client	Date Collected	02/14/84
For	Air Products Company	Date Received	02/14/84
	Post Office Box 1	Date(s) Analyzed	See Below
	St. Gabriel, Louisiana 70776	Data Number	021484-6
	ATTN: Bob Martien	Purchase Order Number	G4-24494

Results of Analysis

Sample Identification East Lagoon Sludge East Lagoon EPT LEACHATE SUPERNATE TOTAL Date/Time Parameter * (mg/kg) (mg/1)(mg/1)Analyst Nickel 158 0.26 0.30 02/17/1200/CNR Chromium 19.6 <0.05 <0.05 02/20/0900/CNR Arsenic 12.2 0.004 0.049 02/23/1600/CNR Barium 68 < 0.1 <0.1 02/20/1330/CNR Cadmium 0.07 <0.005 <0.005 02/20/1030/CNR <0.05 <0.05 Lead 5.6 02/20/1130/CNR 0.0092 0.0005 02/20/1500/CNR Mercury 0.053 02/23/0900/CNR Selenium <0.02 <0.002 <0.002 Silver 0.11 <0.005 <0.005 02/20/1200/CNR Zinc 0.024 0.10 02/20/1100/CNR 81 Cobalt 10.3 <0.05 <0.05 02/20/1300/CNR Total Organic Carbon (mg/kg C) 9,610 62 02/15/1200/CNR Total Kjeldahl Nitrogen (mg/kg N) 11.6 200 02/17/1000/LB pH (pH Unit) 8.5** 9.5 02/14/1500/JR 829 Total Dissolved Solids 02/16/1500/CM Specific Conductivity (umhos/cm) 1,250 02/21/1300/CNR

** pH on total taken as (5 g/100 ml)

ms Analysis Number <u>84</u> –10112–01	M. Ka Ainil.
	M. Rao Arimilli
Official Methods Used to This Analysis	Chief Chemist

^{*} Samples were preserved and analyzed as per approved EPA reference method cited in the following page.

/ Time	e / Dir
ents:	

1	Time	/	Direction
		,	

ographer / Witness

/ Time / Direction

The state of the state of

nts: 🐔 👉 🦠 🗸 🗸 💮 🔞 😘 👵

grapher / Witness

/ Time / Direction

MAR. 0 2 1982

T. W. Normoyle Environmental Engineer Air Products & Chemicals, Inc. Box 538 Allentown, Pennsylvania 18105

Dear Mr. Normoyle:

Your letter of February 18, 1982 requested a copy of the inspection report resulting from the February 18, 1982 inspection of your facility by Ecology and Environment, Inc. (ESE). As soon as we receive the inspection report, we will promptly send a copy to you.

If you have any questions on this matter, please contact me at 214/767-3274.

Sinceraly,

LOW-for

Samuel L. Nott, Chief Enforcement Section, 6AW-SE

wm. B. Mathauny bcc: Hazsit File: PA01015 Control #6AW-S-65

6AW-SE: Newman: hn: 03-01-82

SUPERFUNC

Lua 285 55/877

SEP 1 3 1992

REORGANIZE

	CONCUR	RENCES		
SYMBOL				
SURNAME		ļ		
DATE				*****************

FROM			TROL NO.			
T. W. Nermsyle, Air	6AW-S-65					
SUBJECT AND DATE						
RE: RCRA Inspection Lattie, LA Fac	2/23/82					
S		1-A31915	3/1 6 /82			
REFERRED(I)	12)	SUPERFUNC	(4)			
DATE 2/23/82	2/23					
REPLY SENT TO	- /	SEF 1 8 1992	DATE RELEASED			
\$40 \$40 \$40 \$40		PEOPGANIZET	3-2-82			
REMARKS			ACKNOWLEDGED - DATE			
bcc: Milliam 6. Hathaway with a copy of this control slip.						
			NO ANSWER NEEDED			
XHW ON 5518	1971 HIL PRU	A. Y CHEMING.	(Explain in remarks)			
EPA Form 5180-1 (6-72) REPLACES FWPCA FORM 72 AND HEW-73 WHICH MAY NOT BE USED.	(Remove this copy only, do	o not separate remainder.)	MAIL CONTROL SCHEDULE			



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION VI

1201 ELM STREET

DALLAS, TEXAS 75270

Paorwary / 1992

or. Carl of lact Caragar Gir Products and Characals. Inc. P.G. Pox IIC Lottic LA 70765

RE: Request to Inspect

Air Products and Chemicals Inc.

Dear Mr. Fro

XHDQ Y5 55/8/1

Brown &

This is to inform you that Ecology and Environment, Incorporated, (EEI), is a duly authorized consultant for the U.S. Environmental Protection Agency. Representatives from EEI may, upon presentation of a Letter of Introduction, enter any facility where hazardous materials are generated, stored, treated, disposed of, or transported to determine compliance with standards, regulations, and permits issued pursuant to the Resource Conservation and Recovery Act (RCRA) and Section 311 of the Clean Water Act (CWA).

Specifically, this inspection is to determine if an "imminent and substantial endangerment to health or the environment" exists as described by Section 7003 of RCRA. Please be aware this inspection will not include a determination of compliance with RCRA Interim Status Standards. Authority to conduct this inspection is contained in Section 3007 of RCRA and Section 308 of the CWA.

An inspection may include a review of records, taking photographs, and collecting samples. Representatives of EEI are authorized to collect information which is considered confidential. Any such information must be specified as confidential at the time of the inspection so that appropriate protective measures may be taken.

Mr. K. Malone, EEI, Field Inspection Team Leader, or a member of his staff, will contact you to arrange an inspection date.

A copy of the inspection report and any analytical data for your facility may be obtained by writing to Sam Nott (6AW-SE), EPA Region 6, 1201 Elm Street, Dallas, Texas 75270.

If you have any questions concerning this matter, please contact me or Karen Solari of my staff at (214) 767-2724.

Sincerely,

DNP

Dave Peters
Deputy Project Officer (6SA-E)

00

on. Tensid Tosly Administrator Tagendous Pista Pivision El Nort of Atmost Tescurces P.C. Tox 1370F Taton Bauca EA 7080a

bcc: Sam Nott (6AW-SE)

K. Malone (FITL)

6ES-SH:KSOLARI:kfh:x2724:2/3/82

9E9 1 9 1992

- - - MIZE

Mr. Thomas Normoyl Air Products & Chemicals, Inc. P.O. Box 538 Allentown, PA 18105

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

4 March 1980

Hazardous Waste Site Inspection Report ugjEct:

Charles Gazda (6ASASC) FROM:

Bruce Elliott (6AEG)

Transmitted herewith is a report on:

 \rightarrow 1. Air Products and Chemicals Inc, St Gabriel, LA (2-12-80)

2. EXXON USA, Baton Rouge, LA (1-23-80 & 2-14-80) LA-35

SUPERFUNI

SEF 1 3 1992

RECHANIZE

LAD & 35 557371

OSENT DEAM

6AEG

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

4	
Ų	

subject: Transmittal Memo - Compliance Monitroing Report(s)

DATE: 2/25/80

ROM:	VICTOR H. Houston Branch, 6ASA	GARCIA IF	, Inspe	ector	
):	Director, S&A Divisio				
			ion, Houston Branc	th, 6ASAHF JUS-	2 /25/80
	THRU: Chief, Houston		Lia		
	A compliance Monitori at the following loca	ing inspection \hat{v}	was conducted on _	2//2/8c (Dates)	
	NAME: AIR PROD	UCTS AND C	HEMICALS	<u> </u>	
	ADDRESS: FORBOX		•		
	NPDES Permit #:	•		AQCR: 106	·
	Type of Facility: F	ederal []	Municipal []	Non-Municipal [/	1
	Compliance Monitoring	Reports Attach	ed: (Check appro	priate space)	
	<u>Water</u>	<u>Air</u>	<u>0&M</u>	SPCC TSCA	RCRA
	NPDES [] Form 3560-3 [] Majo [] Minor [] NOD [] CEI [] CSI [] 129 PP [] Bioassay [] Salmonella [] PCB	SIP [] NSPS [] NSR [] PSD [] NESHAP [] Demo. []	Form 7500-5 []		
	Comments:			LN 0/500	1877
	Provided to the second				·
	T-0-1-0-1-0-1-0-1-0-1-0-1-0-1-0-1-0-1-0-			an t Zuerbeñvit	
	•			SEP 1 3 1992	·
	-			PECPRANIZE:	
			•		

REFERENCE 2

HAZARDOUS WASTE SITE POLICE LITE INSPECTION REPORT

ed by Hq)

LA01015

mplace Sections I and III through XV of this form as completely as possible. Then use the informa-GENERAL INSTRUCTIONS: C tion on this form to develop a Tentache Disposition (Section II). File this form in its entirety in the regional Hausrdous Waste Log File. Be sure to include all appropriate Supplemental Reports in the file. Submit a copy of the forms to: U.S. E.: ronmental Protection Agency: Site Tracking System: Hazardous Waste Enforcement Tack Force (EN-335), 401 M St., SW: Washington, DC 20460.

	***************************************		- 1311 0007 101	and the contract of the contra	2000 20 20 20 20 TO
A. CITE HAME	SITE IDENTI		other (dentition)		
	Į				
AIR PRODUCTS AND CHEMICA	- 3, 1 NC ;	STATE	E. ZIP CODE	F. COUNTY NA	AME
SAINT GABRIEL COUNTE DEFENTION INFORMATION		LA	70776	ASCE	NSION
HAME DAVID RATCLIFF - PLAN	MEER		Z. TELEPHOI	ЯЗВМОИ ВИ	
MILLARD J. BONIN - SE			ENCHERD	(504)	54-2-33 46
e. ATREE: A.S.	Tre	ع_ددعه	- 14 GP 114 FT FT PC	8. STATE	s. ZIF CCDE
P.O.BOX S. H. BERLEY OF THE STATE OF THE S	AINT G	ABRIEL		LA	70776
] m AEALTY O'GREE INFORMATION .if ditter in from operat } ! T. NAME	or of site;			2. TELEPHO	
AIR PRODUCTS AND CHEM	10 A 1 5	INC			642-3346
AIR TRODUCTS AND CHEM	10202				6. ZIP CODE
SAINT GABRIEL				LA	70776
	h a bandun d'armananan na 1 anna 2004 200 naganan bananan 12 anna an 2000 na	THE PERSONAL COLUMN TO A REAL PROPERTY OF THE PERSONS IN THE PERSO	***************************************	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
TWO AERATED BIOLOGIC	CAL PO	:405 (@	60'X 120'	<u> </u>	**************************************
					:
		MONICIERE	VA	14 118.	5 551871
II. YENEA TIVE D	ISPOSITION -	campiete thi			
A. ESTIMATS DATE OF TENTATIVE - ELAPPARENT S	EPIOUSHESS O	F PPOBLEM			
DISPOSITION (most) days a production of the state of the] Z.	MEDIUM	₩ 3. LOW	(4. NON	· Ē.
O. PREPARER INFORMATION					
TO SAME	1 2	. TELEPHON	E NUMBER	3. OATE (mo.	, day, & yr.)
Victor It. Aurein	/-	(2) -2 -2	6-5761	25	, ((m
	ISPECTION I			2/14/	<u> </u>
Wile as in the Large 2010 has been an or	P. ARRESEE AND	ada dibandayay gabbaga maya yaran gagbaran garan a a a dabi dibba			
		. TITUS			
VICTOR H. GARCIA		ENVIRON	MENTAL_	EMEINE	E R NE Movarea code & nov
				(713) 2 2	
ENVIRENMENTAL PROTECTION AS	GENCY			10132 2 :	6-5/61
	: ORGANIZ	: A T 10%		3. TEL	LEPHONE NO.
:	,				
JOSEPH BAYKO US LOB	15T (-, v.	ARP		(50%)	582-7171
				()	
AL GABRIEL US LOAS	T EUF	1.H.D		(504) (6 - 717/
VICTOR H BARCIA US E.P.	Α			(713) 22	C-5761
C. A TE RESSENTATIVES MITTER EAST from water off		residents)			
1. NAME 2. SITUE & TELE	F-ONE NO.			ADDRESS	
		6	20 BCK 1		
DAVID RATCLIFF (SC4) 642	- 3 3 4 6		T GABRIEL,	LA 707	7.6
MILLARD J. BONIN (50-1) 642-	- 3346		T. GABRIEL	.LA 707	76
TO THE PERSON OF		1		c. <u> · · · · · · · · · · · · · </u>	
}			S	UPERFUNC	
:				FILE	
			SE	P 1 3 1992	
			······································	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
		1	~ [PGANIZER	

REVIEWED BY: (6ASASC) Ctox Lekky 2/22


Continued From Page 2							
		IV. SAN	APLING INFOR	3MA	(TION (continued)		• • •
C. PHOTOS 1. T/PE OF PHOTOS			> =======	NI C	USTODY OF:		
			2. FIG. 03	. 4 .	31,001,01.		
X 8. GROUNG T b. AE	. R (A L.		S # A	Y	ISION PALLAS - SE		ATTACHMENT (3)
X YES, SPECIFY LOCATION							
•			- /°				
E. COORDINATES	1	CHMENI					
t. CATITUDE (degrammsec.)				2	. LONGITUDE (degmins-secii		
30014 23"					91 03 15		
			V. SITE INF	OR!			
A. SITE STATUS							
1. ACTIVE (Those inductrial or municipal sites which are being used for waste treatment, storage, or disposal on a continuing basis, even it intrequently.) 2. INACTIVE (Those municipal sites which no longer raceive wastes.) 3. OTHER(specify): Those sites that include such incidents like immidnight where no regular or continuing use of the site for waste has occurred.)							
B. (5 GENERATOR ON SITE?				. 4			
1. NO X 2. YESTS	pecity	generator's four	∽digit SIC Code).	·			
C. AREA OF SITE on acres;		D. ARE THE	RE BUILDINGS (ЭN	THE SITE?		
95.74 FENTIRE PLAN	۲)	1. 10	🔀 2. YESA	spe	etiv;		
0.33 (TWO LAGO	رديد	PLA	JT OFFI	Ç., [:	: <u>\$`</u>		
					OF SITE ACTIVITY		
Indicate the major site activity	Tests	and details rela	iting to each ac	ctiv	ity by marking 'X' in the appre	opri	ate hoxes.
A. TRANSPORTER	×	a. sto	DRER		C. TREATER	×	D. DISPOSER
1.RAIL		1.គ!៤៩			1. FIL TRATION		1. LANDFILL
2. SHIP		2.SURFACE IMP	OUNDMENT	Ţ	2. INCINERATION		2. LANDFARM
3. BARGE	1 1	3. DRUMS			3. VOLUME REDUCTION		3. OPEN DUMP
4. TRUCK		4. TANK, ABOV	EGROUND	1	4.RECYCLING/RECOVERY	X	4. SURFACE IMPOUNDMENT
5, PIPELINE		S. TANK, BELOV		K	5. CHEM./PHYS./TREATMENT		5. MIDNIGHT DUMPING
16. OTHER(specify):	'لـــا	6.OTHER/speci	ty):		7. WASTE OIL REPROCESSING	+>	7. UNDERGROUND INJECTION
				-	8.5 OLVERT RECOVERY		8. OTHER(specify):
					9.0THER(specify):		J V V
E. SUPPLEMENTAL PEPORTS: : which Supplemental Separts you					s listed below, Supplemental Repo	orts	must be completed. Indicate
SEE PLAGRAM, ATY. 6	2. IN	CINERATION	3. LANDFI	LL	4. SURFACE	5	. DEEP WELL
C11EM/G10/	7. LA	NDFARM	8. OPEN D	UMF	9. TRANSPORTER	1	0. RECYCLOR/RECLAIMER
		VII. \	WASTE RELAT	EC	INFORMATION		
A. WASTE TYPE			Nembah				
X 1. LIQUID	2. SO	LID	🔀 3. SLUDGE	-	4. GAS		
B. WASTE CHARACTERISTICS			\ rF`\				
≥ 1. CORROSIVE	2. IG	NITABLE	3. RADIOA	CT	VE 4. HIGHLY VOLATILE		
5. TOXIC	6. RE	EACTIVE	7. INERT		8. FLAMMABLE		
9. OTHER(specify): C. WASTE CATEGORIES							
1. Are records of wastes available	? Spe	ecify items such	as manifests, in	ven	tories, etc. below.		
M. T. C. AND METER	,	C O o c					

Continued From Page 6		
	III. HAZARD DESCRIPTION (continued)	
N. FIRE OR EXPLOSION		
vi de la companio de		
O. SPILLS/LEAKING CONTAINERS/RUNOFF	Z/CT ANDING : IQUIC	
The State of the S	THANDING LIQUID	
P. SEWER, STORM DRAIN PROBLEMS		MANAGEMENT OF THE PROPERTY OF
10 × 10 × 10 × 10 × 10 × 10 × 10 × 10 ×		
G. EROSION PROBLEMS		
* * * * * * * * * * * * * * * * * * *		
and I		
R. INADEQUATE SECURITY		
S. INCOMPATIBLE WASTES		**************************************
The second secon		
1		


Confinged From	rage o	X. WATER AND HYDROLOGICA	I DATA contin	ned)			
м 3T ALL IPU	MEING WATER WEL	A. WATER AND ATDROCOGICA		4047			
1 88	2. DESTH (specify unit)	3. LOCA /proximity to popul			A. NON-COM- MUNITY (mārk 'X')	COMMUN- ITY (mark 'X')	
CITY SUCPET	140 57		INTERSECTION HWY 30 ETT				
		THIS IS CLOSEST KNOW	VN WATE	8 WELL-API	PROX. O.4	HI FROM	
						SITE	
I. RECEPTING WA	TFQ					<u> </u>	
1. NAME M/12/132/P	:	2. SEWERS	3. STREAMS/RIVE	ER S		!	
10: V & R	AND TUBES FOR AT	U. LAKES RESERVOIRS	5. OTHER/specily			- — —	
NAVIGAT						i	
•		TER STURE					
LOCATION OF SI	TF 18 19	XI. SOIL AND VEGITAT	FION DATA				
1	FAGLT ZONE	B. KARST ZONE		LOOD PLAIN	D. WETLAND)	
X E. A REGUL	LATED FLOODWAY			ZONE OR SOLE SO	URCE AQUIFER		
		XII. TYPE OF GEOLOGICAL MA* geological material observed and spe			ent parts.	······	
'X' ALDVERBUR	. X	3. BEDROCK (specify below)	×'		apecity below)		
1 1 1 145						······································	
	· · · · · · · · · · · · · · · · · · ·						
) SRAVEL							
<u></u>		XIII. SOIL PERMEA	BILITY		***************************************		
The state of the s					**		
	ff 15 to 1 to sect	B. VERY HIGH /100,000 to 1900 E. LOW (.1 to .001 cm sec.)	6XLe ⁻⁷	, C. HIGH (1000 to 16 F. VERY LOW (.00.	0 cm/sec.) 1 to .00001 cm/s	ec.)	
0.960H4P06 47	X 2. NO 3. 0	OMMENTS:					
Q	REA X 2. (0 3. €	OMMENTS.					
ì		PECIFY DIRECTION OF SLOPE, CONDIT		ETC.			
J. OTHER SEOLO	F/	South-	Area	····			
ĺ							
ł							

AIR F IL S	NO CHEMINCE	CABRIELLA
SIJRFACE IMPOUNDMENTS SIT	E INSPECTION REPORT	INSTRUCTION Answer and Explain us Necessary.
1. TYPE OF IMPOUNDMENT		
(2) S. Judge / ag obt 5 2. STABILITY/CONDITION ON EMBANKMENTS		
5/2 (ABIET) 1/ COMPLETON OF EMBYNYASH: 2		
Parallea dikar		
Parties dikes		
4. EVIDENCE OF DISPOSAL OF IGNITABLE OF PRACTICE	×-6	
4. EVIDENCE OF DISPOSAL OF IGNITABLE OF FEACTIVE	# STEAM	
5. ONLY COMPATIBLE WASTES ARE STORED OR DISPOSE	D OF IN THE IMPOUNDMENT	The second secon
Wes Tho		
6. RECORDS CHECKED FOR CONTENTS AND LOCATION C	F EACH SURFACE IMPOUNDMENT	
T'YES NO		
7. IMPOUNDMENT HAS LINER SYSTEM	7a. INTEGRITY OF LINES	
	L TES NO	
N/A		
8. SOIL STRUCTURE AND SUBSTRUCTURE		
CLAY - PERMEABILITY GA	10 CM/350	
9. MONITORING WELLS		
10. LENGTH, WIDTH, AND DEPTH (A PPREX)		And the state of t
LENGTH 120' WIDTH 60'	DEPTH 9	•
11. CALCULATED VOLUMETRIC CAPACITY		
Z LACOGUS @ 557,000 GAL 12. PERCENT OF CAPACITY REMAINING	= 1,114,000 GAL	
	, ,	
13. ESTIMATE FREEBOARD		
2-2.5 FT 14. SOLIDS DEPOSITION		
TYES (NO SLEDGE LAGILIN CO	HTAINS APPROX 2300 TON	SINCE CPERATIONS BECAMBETTE
TE. DREDGING DISPOSAL METHOD		
NEITHER LACOON DREDGED TO CA	TE AND FETHER TO	Pr Dibbelo within Months
16. OTHER EQUIPMENT		

AIR PRODUCTS AND	ME LINC - ST GARRIE	
INCINERATOR	RS SITE INSPECTION REPORT	INSTRUCTION
	upplemental Report)	Answer and Explain as Necessary.
1. INCINERATION OF ALL SUBSTANCES	APPROVED BY REGULATORY AGENCY	
Thermal C		
LIST ALL SUBSTANCES INCINERATED,	INDICATING WHETHER OR NOT APPROVAL EXIST	75.
		
Two Streams (Li	auid Only)	
	,	
(T) (25 m) 5 m 5 m		
Olganics St	réam - long-chamed wast	e amine oil
•		
2) Agueous Str	eam (<1% contaminants ; i.e., to	~ · · · · · · · · · · · · · · · · · · ·
	- The ise	YY "WATER)
con caminant is	sacrede read sources, and to	· · · · · · · · · · · · · · · · · · ·
130 Bacyl isc	but circ acid	and the second of the second
		•
. COMBUSTION EFFICIENCY MONITORED		
YES MO (Explain)		
	CALCULATIONS, AND COMBUSTION ZONE MONIT	ORED
MYES TEMP On	14 Monitored and Regulates	1
YES NO	5 PROPERLY -	
ADEQUATE MAINTENANCE OF EMISSIO	N CONTROL EQUIPMENT	
V YES NO		
. MONITORING PORTS IN INCINERATOR (I	ndicate Position)	
YES NO		
ALONG EXIT STACK - 5	EE PICTURE , ATTACHMENT 3	
CHT-OFF DEVICE FUNCTIONING DES	flow rates to unit	
YES TO NO	EDF :	
STACK TEST	9a, EPA METHOD	
YES NO	The state of the s	
b. AGENCY CONDUCTING TEST		9c. DATE
	F SCRUBBER LIQUOR WASTEWATER (Describe)	
X YES NO		
RECYCLED THROUGH	TREATMENT PROCESS F ASH QUENCHING WASTEWATER OR ASH (Describ	
2. TYPE OF SCRUBBER MEDIUM	LICABLE - NO ASHES GENERATE	D. SEE () ABOVE
STAIN LESS STEEL POLL 3. TYPE OF SCRUBBER	E ING-S	
	<i></i>	
4. MIST ELIMINATOR	74	
YES NO		



Comp S. = Composite Sumpler



SCHEMATIC OF WASTEWATER TREATMENT Air Products and Chemicals, Inc. St. Gabriel, Iberville Parish, La.


ATTACHMENT G

RCRA INSPECTION

AIR PRODUCTS AND CHEM, IN

5T. GABRIEL, LA

2/12/80



THERMAL CXIDIZER



WEST AERATED SLUDGE LAGOON

AIR , RODUCTS - ST. GABA

POTENTIAL HAZARDOUS WASTE SITE IDENTIFICATION AND PRELIMINARY ASSESSMENT

SITE NUMBER (to be assigned by Hq)

NOTE: This form is completed for each potential hazardous waste site to help set priorities for site inspection. The information submitted on this form is based on available records and may be updated on subsequent forms as a result of additional inquiries and on-site inspections.

GENERAL INSTRUCTIONS: Complete Sections I and III through X as completely as possible before Section II (Preliminary Assessment), File this form in the Regional Hazardous Waste Log File and submit a copy to: U.S. Environmental Protection Agency; Site Tracking System; Hazardous Waste Enforcement Task Force (EN-335); 401 M St., SW; Washington, DC 20460. I. SITE IDENTIFICATION B. STREET (or other identifier) A. SITE NAME G. OWNER/OPERATOR (If known) H. TYPE OF OWNERSHIP 14 MUNICIPAL 1. FEDERAL 2. STATE 3. COUNTY J. HOWIDEN TIFIED (1.0., cittzen's complaints, OSHA citations, etc.) L. PRINCIPAL STATE CONTACT 92-5-6580 II. PRELIMINARY ASSESSMENT (complete this section last) A. APPARENT SERIOUSNESS OF PROBLEM 2. MEDIUM A. LOW 1. HIGH 4 NONE B. RECOMMENDATION NO ACTION NEEDED (no hazard) 2. IMMEDIATE SITE INSPECTION PERFUND 3. SITE INSPECTION NEEDED

a. TENTATIVELY SCHEDULED FOR: b. WILL BE PERFORMED BY: b. WILL BE PERFORMED BY: 4. SITE INSPECTION NEEDED (low priority REORGANIZED C. PREPARER INFORMATION III. SITE CHEORMATION A. SITE STATUS 3. OTHER (specify):
(Those sites that include such incidents like "midnight dumping" where no regular or continuing use of the site for waste disposal has occurred.) 1. ACTIVE (Those industrial or 2, INACTIVE (Those altes which no longer receive municipal sites which are being used for waste treatment, storage, or disposal on a continuing basis, even if infrewastes.) B. IS GENERATOR ON SITE? [] 1. NO 2. YES (specify generator's four-digit SIC Code): C. AREA OF SITE (in acres) D. IF APPARENT SERIOUSNESS OF SITE IS HIGH, SPECIFY COORDINATES 2. LONGITUDE (deg.-min.-sec.) 1. LATITUDE (deg.-min.-sec.) E. ARE THERE BUILDINGS ON THE SITE? 2. YES (apocify): ____ 1, NO

V. WASTE RELATED INFORMATION (cor	ontinued,
-----------------------------------	-----------

LIST SUBSTANCES OF	F GREATEST CONCERN	WHICH MAY BE ON	THE SITE (pla	ce in descending	order of hazard)
--------------------	--------------------	-----------------	---------------	------------------	------------------

4. ADDITIONAL COMMENTS OR NARRATIVE DESCRIPTION OF SITUATION KNOWN OR REPORTED TO EXIST AT THE SITE.

		VI. HAZ	ARD DESCRIPT	ОИ	
A. TYPE OF HAZARD	POTEN- TIAL HAZARD (mark 'X')	C. ALLEGED INCIDENT (mark 'X')	D. DATE OF INCIDENT (mo.,day,yr.)		E.REMARKS
1. NO HAZARD		May at the second	a Strategicker of the kind of		
2. HUMAN HEALTH					
3. NON-WORKER 3. INJURY/EXPOSURE					
4. WORKER INJURY					
6. CONTAMINATION OF WATER SUPPLY					
6. CONTAMINATION 6. OF FOOD CHAIN					
7. CONTAMINATION OF GROUND WATER					
8. CONTAMINATION 8. OF SURFACE WATER	X				
9. DAMAGE TO 9. FLORA/FAUNA					
10. FISH KILL					
11. CONTAMINATION OF AIR					
12. NOTICEABLE ODORS					
18. CONTAMINATION OF SOIL					
14. PROPERTY DAMAGE					
15. FIRE OR EXPLOSION					
16. SPILLS/LEAKING CONTAINERS/ RUNOFF/STANDING LIQUIDS					
17. SEWER, STORM 17. DRAIN PROBLEMS					
18, EROSION PROBLEMS					
19. INADEQUATE SECURITY					
20. INCOMPATIBLE WASTES					
21. MIDNIGHT DUMPING					
22. OTHER (specify):					
 			Spanner, Printered		

REFERENCE 3


AIR PRODUCTS & CHEMICALS
LATITUDE 30:15: 5 LONGITUDE 91: 5:34 1980 POPULATION


S 8

SECTOR KM 0.00-.400 .400-.800 .800-1.61 1.61-3.23 3.23-4.84 4.84-6.45 TOTALS S 3 S 4 S 5 S 6 s 7

S 9 S10 S11 S12 S13 S14 S15 **S16** RING 1037 493 TOTALS

08/01/9A HOGA





。 第二章